Neuroscience Letters, 120 (1990) 275–278
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Agnati, L.F., see Zini, I., 13
Akagi, Y., see Okamoto, S., 74
Alberch, J., see Arenas, E., 201
Alho, H., see Kononen, J., 105
Allix, M., see Lekieffre, D., 31
Aragonés, M.D., see Catalán, R.E., 46
Arenas, E., Marsal, J. and Alberch, J., $GABA_A$ and $GABA_B$ antagonists prevent the opioid inhibition of endogenous acetylcholine release evoked by glutamate from rat neostriatal slices, 201

Bahls, F.H., Analysis of a long-duration hyperpolarization produced by octopamine in an identified effector neuron of *Helisoma*, 131
Baimbridge, K.G., see Johansen, F.F., 171
Ball, M., see Kish, S.J., 209
Bartke, A., see Debeljuk, L., 253
Baruah, S., see Waziri, R., 237
Bement, S., see Van Horne, C.G., 249
Biagini, G., see Zini, I., 13
Bienenstock, J., see Blennerhassett, M.G., 50
Blennerhassett, M.G. and Bienenstock, J., Apparent innervation of rat basophilic leukaemia (RBL-2H3) cells by sympathetic neurons in vitro, 50
Boulu, R.G., see Lekieffre, D., 31
Bravo, R., see Herdegen, T., 21
Bray, J.J., see O'Malley, J.P., 224
Bijlani, V., see Wadhwa, S., 146

Calligaro, D.O., see McNamara, D., 17
Calvo, P., see Fernández-López, A., 97
Cassady, I., see Le, F., 271
Castrén, E. and Panula, P., The distribution of histidine decarboxylase mRNA in the rat brain: an in situ hybridization study using synthetic oligonucleotide probes, 113
Catalán, R.E., Martínez, A.M., Aragonés, M.D. and Hernández, F., Molecular forms of butyrylcholinesterase in rat brain microvessels, 46
Ceccatelli, S., see Elde, R., 134
Champney, T.H., Noradrenergic involvement in pinealectomy induced convulsions in gerbils, 245
Chang, L.-J., see Kish, S.J., 209
Chan-Palay, V., see Köhler, C., 179
Chen, C., see Kukstas, L.A., 84
Chicheportiche, R., see Torres, J.H., 80
Clements, J.R. and Grant, S., Glutamate-like immunoreactivity in neurons of the laterodorsal tegmental and pedunculopontine nuclei in the rat, 70
Crill, W.E., see Sayer, R.J., 175

Debeljuk, L., Villanúa, M.A. and Bartke, A., Neurokinin A in the hypothalamus and anterior pituitary during the estrous cycle in the golden hamster, 253
Deck, J.H.N., see Kish, S.J., 209
Del Arco, C., see Fernández-López, A., 97
Devigne, C., see Marchetti-Gauthier, E., 34
Diemer, N.H., see Johansen, F.F., 171
Dingledine, R., see McNamara, D., 17
Dudek, F.E., Obenaus, A. and Tasker, J.G., Osmolality-induced changes in extracellular volume alter epileptiform bursts independent of chemical synapses in the rat: importance of non-synaptic mechanisms in hippocampal epileptogenesis, 267

Elde, R., Schalling, M., Ceccatelli, S., Nakanishi, S. and Hökfelt, T., Localization of neuropeptide receptor mRNA in rat brain: initial observations using probes for neurotensin and substance P receptors, 134

Fernández-López, A., Del Arco, C., González, A.M., Gómez, T., Calvo, P. and Pazos, Angel, Autoradiographic localization of α_2-adrenoceptors in chick brain, 97
Feuerstein, G., see Lysko, P.G., 217
Fisher, N.D., see Nistri, A., 25
Friauf, E. and Kandler, K., Auditory projections to the inferior colliculus of the rat are present by birth, 58
Fujii, T., see Nagatsu, I., 141
Fujita, K., see Nagatsu, I., 141
Furukawa, S., see Shigeno, T., 117
Fuxe, K., see Zini, I., 13

Ganguly, D.K., see Mohanakumar, K.P., 91
Gerhardt, G.A., see Van Horne, C.G., 249
Gilbert, J., see Kish, S.J., 209
Gilbert, K.A. and Lydic, R., Parabrachial neuron discharge in the cat is altered during the carbachol-induced REM sleep-like state (DCarb), 241
Glantz, R.M., see Pfeiffer-Linn, C., 234
Gómez, T., see Fernández-López, A., 97
González, A.M., see Fernández-López, A., 97
Gordon-Majszak, W., see Wisniewski, K.E., 94
Graham, D.I., see Shigeno, T., 117
Grant, S., see Clements, J.R., 70
Grimaldi, R., see Zini, I., 13
Gurnell, M., see Nistri, A., 25

Hamberger, A., see Lees, G.J., 155
Hamberger, A., see Lees, G.J., 159
Hata, N., Nishikawa, T., Umino, A. and Takahashi, K., Evidence for involvement of *N*-methyl-D-aspartate receptor in tonic inhibitory control of dopaminergic transmission in rat medial frontal cortex, 101
Hara, H., Onodera, H. and Kogure, K., Protein kinase C activity in the gerbil hippocampus after transient forebrain ischemia: morphological and autoradiographic analysis using [^{3}H]phorbol 12,13-dibutyrate, 120
Hayashi, H., see Okado, N., 263
Hegwood, T.S., see Waziri, R., 237
Herdegen, T., Walker, T., Leah, J.D., Leah,, , Bravo, R. and Zimmermann, M., The KROX-24 protein, a new transcription regulating factor: expression in the rat central nervous system following afferent somatosensory stimulation, 21
Hernández, F., see Catalán, R.E., 46
Hervonen, A., Kimura, A., Sato, A. and Sato, Y., Responses of cortical cerebral blood flow produced by stimulation of cervical sympathetic trunks are well maintained in aged rats, 55
Hoesing, J.M., see Sutherland, R.J., 221
Hoffer, B.J., see Van Horne, C.G., 249
Hökfelt, T., see Elde, R., 134
Hosoya, Ya., see Okado, N., 263
Hume, D., see Le, F., 271

Ibata, Y., see Okamoto, S., 74

Ido, T., see Yamada, S., 191
Illing, R. -B., Vogt, D.M. and Spatz, W.B., Parvalbumin in rat superior colliculus, 197
Ishiwata, K., see Yamada, S., 191
Israel, J.-M., see Kukstas, L.A., 84
Ito, H., see Saito, Y., 1

Jia, H.-G., see Li, Yu.-Q., 124
Johansen, F.F., Tønder, N., Zimmer, J., Baimbridge, K.G. and Diemer, N.H., Short-term changes of parvalbumin and calbindin immunoreactivity in the rat hippocampus following cerebral ischemia, 171
Johnston, C.A., Lopez, F., Samson, W.K. and Negro-Vilar, A., Physiologically important role for central oxytocin in the preovulatory release of luteinizing hormone, 256
Jotwani, G., see Wadhwa, S., 146

Kaba, H., see Li, C. -S., 231
Kadoya, F., see Mitani, A., 42
Kamenka, J.M., see Torres, J.H., 80
Kandler, K., see Friauf, E., 58
Kataoka, K., see Mitani, A., 42
Kato, G., see Shigeno, T., 117
Kawashima, S., see Saito, Y., 1
Khateb, A., see Serafin, M., 5
Kida, E., see Wisniewski, K.E., 94
Kimura, A., see Hervonen, A., 55
Kish, S.J., Robitaille, Y., Ball, M., Gilbert, J., Deck, J.H.N., Chang, L.-J. and Schut, L., Glycerophosphoethanolamine concentration is elevated in brain of patients with dominantly inherited olivopontocerebellar atrophy, 209
Kiss, T., see Osipenko, O.N., 9
Kobayashi, K., see Nagatsu, I., 141
Kogure, K., see Hara, H., 120
Köhler, C. and Chan-Palay, V., Galanin receptors in the post-mortem human brain. Regional distribution of ^{125}I-galanin binding sites using the method of in vitro receptor autoradiography, 179
Koistinaho, J., see Kononen, J., 105
Komori, K., see Nagatsu, I., 141
Kononen, J., Koistinaho, J. and Alho, H., Circadian rhythm in c-fos-like immunoreactivity in the rat brain, 105
Kou, Yu.R., see Prabhakar, N.R., 183
Kubota, K., see Yamada, S., 191
Kubota, R., see Yamada, S., 191
Kucera, J. and Walro, J., Muscle spindles form in paralyzed but not in aneural hindlimbs of fetal rats, 128
Kukstas, L.A., Verrier, D., Zhang, J., Chen, C., Israel, J.-M. and Vincent, J.-D. Evidence for a relationship between lactotroph heterogeneity and physiological context, 84
Kurokawa, T., Yoshida, K., Yamamoto, T. and Oka, H., Frontal cortical projections from the supragenicular nucleus in the rat, as demonstrated with the PHA-L method, 259
Kusaka, K., see Shigeno, T., 117

Lanoir, J., see Pinard, R., 212
Le, F., Wilce, P., Cassady, I., Hume, D. and Shanley, B., Acute administration of ethanol suppresses pentylenetetrazole-induced c-*fos* expression in rat brain, 271
Leah, J.D., see Herdegen, T., 21
Lees, G.J., Lehmann, A., Sandberg, M. and Hamberger, A., The neurotoxicity of zinc in the rat hippocampus, 155
Lees, G.J., Lehmann, A., Sandberg, M. and Hamberger, A., The neurotoxicity of ouabain, a sodium-potassium ATPase inhibitor, in the rat hippocampus, 159
Lehmann, A., see Lees, G.J., 155
Lehmann, A., see Lees, G.J., 159
Lekieffre, D., Plotkine, M., Allix, M. and Boulu, R.G., Kynurenic acid antagonizes hippocampal quinolinic acid neurotoxicity: behavioral and histological evaluation, 31
Leu, S.-J.C., see Singh, V.K., 151
Li, C. -S., Kaba, H., Saito, H. and Seto, K., GABAergic mechanisms are involved in the control of tuberoinfundibular arcuate neurons by the accessory olfactory bulb, 231
Li, Yu.-Q., Jia, H.-G., Rao, Z.-R. and Shi, J.-W., Serotonin-, substance P- or leucine-enkephalin-containing neurons in the midbrain periaqueductal gray and nucleus raphe dorsalis send projection fibers to the central amygdaloid nucleus in the rat, 124
Li, Yu.-Q., Rao, Z.-R. and Shi, J.-W., Substance P-like immunoreactive neurons in the nucleus tractus solitarii of the rat send their axons to the nucleus accumbens, 194
Lopez, F., see Johnston, C.A., 256
Lydic, R., see Gilbert, K.A., 241
Lysko, P.G. and Feuerstein, G., Excitatory amino acid neurotoxicity at the *N*-methyl-D-aspartate receptor in cultured neurons: protection by SKF 10,047, 217

Marchetti-Gauthier, E., Meziane, H., Devigne, C. and Soumireu-Mourat, B., Effects of bilateral lesions of the cerebellar interpositus nucleus on the conditioned forelimb flexion reflex in mice, 34
Marsal, J., see Arenas, E., 201
Martínez, A.M., see Catalán, R.E., 46
Martini, R., see Tacke, R., 227
Martín-Partido, G., see Navascués, J., 62
Matsukawa, M., see Okado, N., 263
McGeer, P.L., see Yamada, T., 163
McNamara, D., Smith, E.C.R., Calligaro, D.O., O'Malley, P.J., McQuaid, L.A. and Dingledine, R., 5,7-Dichlorokynurenic acid, a potent and selective competitive antagonist of the glycine site on NMDA receptors, 17
Mellanby, J., see Shaw, J.A.G., 66
McQuaid, L.A., see McNamara, D., 17
Meziane, H., see Marchetti-Gauthier, E., 34
Mills, R.G., see O'Malley, J.P., 224
Mima, T., see Shigeno, T., 117
Mitani, A., Kadoya, F. and Kataoka, K., Distribution of hypoxia-induced calcium accumulation in gerbil hippocampal slice, 42
Mitra, N., see Mohanakumar, K.P., 91
Miyamoto, T., see Okada, Ya., 205
Mohanakumar, K.P., Mitra, N. and Ganguly, D.K., Tremorogenesis by physostigmine is unrelated to acetylcholinesterase inhibition: evidence for serotoninergic involvement, 91
Moroji, T., see Nonaka, R., 109
Mühlethaler, M., see Serafin, M., 5
Müller, S., see Zentel, H.J., 167

Nagatsu, I., Kobayashi, K., Fujii, T., Komori, K., Sekiguchi, K., Titani, K., Fujita, K. and Nagatsu, T., Antibodies raised against different oligopeptide segments of human dopamine-β-hydroxylase, 141
Nagatsu, T., see Nagatsu, I., 141
Nakai, Ya., see Ochiai, H., 87
Nakanishi, S., see Elde, R., 134
Navascués, J. and Martín-Partido, G., Glial cells in the optic chiasm arise from the suboptic necrotic centers of the diencephalon floor: morphological evidence in the chick embryo, 62
Negro-Vilar, A., see Johnston, C.A., 256
N'Gouemo, P. and Rondouin, G., Evidence that superior colliculi are involved in the control of amygdala-kindled seizures, 38

Nishikawa, T., see Hata, N., 101
Nishimura, S., see Okada, Ya., 205
Nistri, A., Fisher, N.D. and Gurnell, M., Block by the neuropeptide TRH of an apparently novel K conductance of rat motoneurones, 25
Nohr, D., see Zentel, H.J., 167
Nonaka, R. and Moroji, T., Effects of chronic methamphetamine treatment on the binding parameters of [^{3}H]SCH 23390, a selective D_1-dopamine receptor ligand, in the rat brain, 109

Obenaus, A., see Dudek, F.E., 267
Ochiai, H. and Nakai, Ya., Ultrastructural demonstration of dopamine-β-hydroxylase immunoreactive nerve terminals on vasopressin neurons in the paraventricular nucleus of the rat by double-labeling immunocytochemistry, 87
Oka, H., see Kurokawa, T., 259
Okada, Ya., Nishimura, S. and Miyamoto, T., Excitatory effect of adenosine on neurotransmission in the slices of superior colliculus and hippocampus of guinea pig, 205
Okado, N., Hayashi, H., Hosoya, Ya. and Matsukawa, M., Retrograde neuronal labelling by *E. coli* enterotoxin subunit B, 263
Okamoto, S., Okamura, H., Akagi, Y., Yanaihara, N. and Ibata, Y., Possible induction of [Met]enkephalin-Arg^6-Gly^7-Leu^8 immunoreactivity in neurons of the rat superior colliculus following eye enucleation, 74
Okamura, H., see Okamoto, S., 74
O'Malley, J.P., Mills, R.G. and Bray, J.J., Effects of electrical stimulation and tetrodotoxin paralysis on antigenic properties of acetylcholine receptors in rat skeletal muscle, 224
O'Malley, P.J., see McNamara, D., 17
Onaka, T. and Yagi, K., Interactions between emotional stress due to fear and hypovolemic stimuli in the control of vasopressin secretion in rats, 187
Onodera, H., see Hara, H., 120
Osipenko, O.N. and Kiss, T., Neurohypophysial peptides selectively depressed high voltage-activated Ca-current in snail neurons, 9

Panula, P., see Castrén, E., 113
Pazos, Angel, see Fernández-López, A., 97
Perry, V.H., see Shaw, J.A.G., 66
Pfeiffer-Linn, C. and Glantz, R.M., A neuronal nicotinic acetylcholine receptor in crayfish neurons, 234
Pich, E.M., see Zini, I., 13
Pinard, R., Richards, J.G. and Lanoir, J., Subcellular localization of $GABA_A$/benzodiazepine receptor-like immunoreactivity in the superficial gray layer of the rat superior colliculus, 212
Plotkine, M., see Lekieffre, D., 31
Prabhakar, N.R., Kou, Yu.R. and Runold, M., Chemoreceptor responses to substance P, physalaemin and eledoisin: evidence for neurokinin-1 receptors in the cat carotid body, 183

Rao, Z.-R., see Li, Yu.-Q., 124
Rao, Z.-R., see Li, Yu.-Q., 194
Rath, S., see Wadhwa, S., 146
Richards, J.G., see Pinard, R., 212
Robitaille, Y., see Kish, S.J., 209
Rondouin, G., see N'Gouemo, P., 38
Rondouin, G., see Torres, J.H., 80
Runold, M., see Prabhakar, N.R., 183

Saito, H., see Li, C. -S., 231
Saito, Y., Tsubuki, S., Ito, H. and Kawashima, S., The structure-function relationship between peptide aldehyde derivatives on initiation of neurite outgrowth in PC12h cells, 1
Saitoh, T., see Wisniewski, K.E., 94
Samson, W.K., see Johnston, C.A., 256
Sandberg, M., see Lees, G.J., 155
Sandberg, M., see Lees, G.J., 159
Sato, A., see Hervonen, A., 55
Sato, Y., see Hervonen, A., 55
Sayer, R.J., Schwindt, P.C. and Crill, W.E., High- and low-threshold calcium currents in neurons acutely isolated from rat sensorimotor cortex, 175
Schalling, M., see Elde, R., 134
Schut, L., see Kish, S.J., 209
Schwindt, P.C., see Sayer, R.J., 175
Sekiguchi, K., see Nagatsu, I., 141
Serafin, M., Khateb, A. and Mühlethaler, M., Electrophysiology and Lucifer yellow injection of nucleus gigantocellularis neurones in an isolated and perfused guinea pig brain in vitro, 5
Seto, K., see Li, C. -S., 231
Shanley, B., see Le, F., 271
Shaw, J.A.G., Perry, V.H. and Mellanby, J., Tetanus toxin-induced seizures cause microglial activation in rat hippocampus, 66
Sherman, A.D., see Waziri, R., 237
Shi, J.-W., see Li, Yu.-Q., 124
Shi, J.-W., see Li, Yu.-Q., 194
Shigeno, T., Yamasaki, Ya., Kato, G., Kusaka, K., Mima, T., Takakura, K., Graham, D.I. and Furukawa, S., Reduction of delayed neuronal death by inhibition of protein synthesis, 117
Singh, V.K. and Leu, S.-J.C., Enhancing effect of corticotropin-releasing neurohormone on the production of interleukin-1 and interleukin-2, 151
Smith, E.C.R., see McNamara, D., 17
Soumireu-Mourat, B., see Marchetti-Gauthier, E., 34
Spatz, W.B., see Illing, R. -B., 197
Sutherland, R.J., Hoesing, J.M. and Whishaw, I.Q., Domoic acid, an environmental toxin, produces hippocampal damage and severe memory impairment, 221

Tacke, R. and Martini, R., Changes in expression of mRNA specific for cell adhesion molecules (L1 and NCAM) in the transected peripheral nerve of the adult rat, 227
Takahashi, K., see Hata, N., 101
Takakura, K., see Shigeno, T., 117
Tasker, J.G., see Dudek, F.E., 267
Titani, K., see Nagatsu, I., 141
Tønder, N., see Johansen, F.F., 171
Torres, J.H., Rondouin, G., Kamenka, J.M. and Chicheportiche, R., TCP shortens the latency of onset of isoelectricity in hypoglycaemia and fails to protect striatal neurones and dentate gyrus granule cells from hypoglycaemic injury in rats, 80
Tsubuki, S., see Saito, Y., 1

Umino, A., see Hata, N., 101

Van Horne, C.G., Bement, S., Hoffer, B.J. and Gerhardt, G.A., Multichannel semiconductor-based electrodes for in vivo electrochemical and electrophysiological studies in rat CNS, 249
Verrier, D., see Kukstas, L.A., 84
Villanúa, M.A., see Debeljuk, L., 253
Vincent, J.-D., see Kukstas, L.A., 84

Vogt, D.M., see Illing, R. -B., 197
Wadhwa, S., Rath, S., Jotwani, G. and Bijlani, V., Development of substance P, Leu-enkephalin and serotonin profiles in the lateral geniculate nuclear complex of albino rat, 146
Walker, T., see Herdegen, T., 21
Walro, J., see Kucera, J., 128
Waziri, R., Baruah, S., Hegwood, T.S. and Sherman, A.D., Abnormal serine hydroxymethyl transferase activity in the temporal lobes of schizophrenics, 237
Weihe, E., see Zentel, H.J., 167
Whishaw, I.Q., see Sutherland, R.J., 221
Wilce, P., see Le, F., 271
Wisniewski, K.E., Kida, E., Gordon-Majszak, W. and Saitoh, T., Altered amyloid β-protein precursor processing in brains of patients with neuronal ceroid lipofuscinosis, 94

Yagi, K., see Onaka, T., 187
Yamada, S., Kubota, R., Kubota, K., Ishiwata, K. and Ido, T., Localization of [^{18}F]fluorodeoxyglucose in mouse brain neurons with micro-autoradiography, 191
Yamada, T. and McGeer, P.L., Oligodendroglial microtubular masses: an abnormality observed in some human neurodegenerative diseases, 163
Yamamoto, T., see Kurokawa, T., 259
Yamasaki, Ya., see Shigeno, T., 117
Yanaihara, N., see Okamoto, S., 74
Yanaihara, N., see Zentel, H.J., 167
Yoshida, K., see Kurokawa, T., 259

Zentel, H.J., Nohr, D., Müller, S., Yanaihara, N. and Weihe, E., Differential occurrence and distribution of galanin in adrenal nerve fibres and medullary cells in rodent and avian species, 167
Zhang, J., see Kukstas, L.A., 84
Zimmer, J., see Johansen, F.F., 171
Zimmermann, M., see Herdegen, T., 21
Zini, I., Zoli, M., Grimaldi, R., Pich, E.M., Biagini, G., Fuxe, K. and Agnati, L.F., Evidence for a role of neosynthetized putrescine in the increase of glial fibrillary acidic protein immunoreactivity induced by a mechanical lesion in the rat brain, 13
Zoli, M., see Zini, I., 13